

**Overall goal: Reducing AMR associated mortality by 10% by 2030
(Baseline quoted in the political declaration: GRAM /GBD 2019 model)**



**Overall goal: Reducing AMR associated mortality by 10% by 2030
(Baseline quoted in the political declaration: GRAM /GBD 2019 model)**

**Impact on mortality
requires a result-based
person centered
approach**



Overall goal: Reducing AMR associated mortality by 10% by 2030 (Baseline quoted in the political declaration: GRAM /GBD 2019 model)

Political will
Investment
One health
Approach

AMR
mainstreamed in
health planning
and financing

Coverage of
prevention,
diagnosis and
treatment

Prevalence of
resistance

Frequency of
use

Morbidity and
mortality

**Impact on mortality
requires a result-based
person centered
approach**



Overall goal: Reducing AMR associated mortality by 10% by 2030 (Baseline quoted in the political declaration: GRAM /GBD 2019 model)

Political will
Investment
One health
Approach

AMR
mainstreamed in
health planning
and financing

Coverage of
prevention,
diagnosis and
treatment

Prevalence of
resistance

Frequency of
use

Morbidity and
mortality

**Impact on mortality
requires a result-based
person centered
approach**

TRACSS, prevention, diagnosis, treatment, indicators, GLASS)



Overall goal: Reducing AMR associated mortality by 10% by 2030 (Baseline quoted in the political declaration: GRAM /GBD 2019 model)

Political will
Investment
One health
Approach

AMR
mainstreamed in
health planning
and financing


Coverage of
prevention,
diagnosis and
treatment

Prevalence of
resistance
Frequency of
use

Morbidity and
mortality

**Impact on mortality
requires a result-based
person centered
approach**

TRACSS, prevention, diagnosis, treatment, indicators, GLASS)



Overall goal: Reducing AMR associated mortality by 10% by 2030 (Baseline quoted in the political declaration: GRAM /GBD 2019 model)

Political will
Investment
One health
Approach

AMR
mainstreamed in
health planning
and financing

Coverage of
prevention,
diagnosis and
treatment

Prevalence of
resistance

Frequency of
use

Morbidity and
mortality

**Impact on mortality
requires a result-based
person centered
approach**

TRACSS, prevention, diagnosis, treatment, indicators, GLASS)

Models

Models generate
estimates that
are compared
with empirical data

Collect

Evaluate

Burden
data use
cycle

Analyze

Use to
plan



Overall goal: Reducing AMR associated mortality by 10% by 2030 (Baseline quoted in the political declaration: GRAM /GBD 2019 model)



Political will
Investment
One health
Approach

AMR
mainstreamed in
health planning
and financing

Coverage of
prevention,
diagnosis and
treatment

Prevalence of
resistance

Frequency of
use

Morbidity and
mortality

Impact on mortality
requires a result-based
person centered
approach



TRACSS, prevention, diagnosis, treatment, indicators, GLASS)

Models

Models generate
estimates that
are compared
with empirical data

Collect

Evaluate

Burden
data use
cycle

Analyze

Use to
plan

Way forward to
document impact:
The AMR data collaborative

Validated burden models

Data collection and sharing

Accountability along the result chain